




Magic series

Magnet mount Fixed installation

Magnetic design enables the led screen to be absorbed to the wall quickly, more conducive to the installation and tear down of the led screen



180 degree foldable

Without the aid of any tools, you can perform 360 degree folding.




Ultra-Slim, lightweight

Easy for installation and transportation.
Transportation and warehousing cost saving



Cool&quiet

The separate design of power supply and screen body ensures that the screen is cool & quiet



Elegant minimalism design, user-friendly

Discrete modules combined, no complex structures, no complex cabling, easy installation




Easy installation no framed need

Support hanging, mount magnet, embedded installation . convenient installation save 70% labor and material resources


Easy maintenance , true front maintenance



1. Apply the tool to the panel in question



2. Remove the panel quickly by hand.



3. Remove the ribbon cable.

Model	Magic3		Magic5	Magic7
Ditch (mm)	P3.9		P5.2	P7.8
Waterproof	Indoor IP43	Indoor IP43	Indoor IP43	Indoor IP43/IP56
LED type	SMD2020	SMD2020	SMD3528	SMD3535
Scan mode	16	16	16	4
Max brightness(nits)	1500	3000	3000	5500
Operating voltage	DC24V	DC48V	DC24V	DC24V
Average power(w/m²)	200	410	200	160
Max refresh rate(kHz)	4000		4000	16000
Unit size(mm×mm)	250×250		250×250	300×300
Single-sided thickness	23		23	16.5
Double-sided thickness	37		37	33
Weight(kg/m²)	<12		<12	<12
Foldable angle	180°		180°	360°
Magnet	YES		YES	YES
Quick Maintenance	YES		YES	YES
Max Length of control box	4m		5m	12m
Connection type	68pin(Main) 2+19pin(Optional)		68pin(Main) 2+16pin(Optional)	68pin(Main) 2+14pin(Optional)

